



POCKET PLAN

MV HANSA RENSBURG

IMO No.: 915 53 77



simon de jong 2014

GENERAL

Date delivered / Builder (where built)	September 2000 / Jiangyang Shipbuilding Group Corporation.
Flag / Port of Registry	Liberia / Monrovia
Call sign	A8CF4
Yard type	Wenchong 1700
Type of hull	Double Hull

CLASSIFICATION

Classification society	DNV
Class notation	+ 100 A5 E Container Ship SOLAS-II-2 Reg. 19, IW, + MC E AUT

MAIN ENGINES

Type	MAN / B+W 7S60 MC
MCR	14.280 kW

Address
Contact
Commercial Register
General Partner
Managing Directors

Neumühlen 13 • 22763 Hamburg • Germany • **W** www.leonhardt-blumberg.com
P +49 40 36 146-0 • **F** +49 40 36 146-123 • **M** info@leonhardt-blumberg.com
Hamburg HRA 118771
L&B Schifffahrt GmbH • Hamburg HRB 89154
Torben Kölln • Mathias Gaethje



OWNERSHIP AND OPERATION

<p>Registered owner – Full style</p>	<p>L&B Hansa Feederschiffe GmbH & Co. KG Neumuehlen 13 22763 Hamburg Germany P +4940361460 M operations@leonhardt-blumberg.com W www.leonhardt-blumberg.com</p>
<p>Technical operator – Full style</p>	<p>Leonhardt & Blumberg Shipmanagement GmbH & Co. KG Neumuehlen 13 22763 Hamburg Germany P +4940361460 M operations@leonhardt-blumberg.com W www.leonhardt-blumberg.com Company IMO#: 5979428</p>
<p>Manning Agent Officers / Crew</p>	<p>Leonhardt & Blumberg Reederei GmbH & Co. KG Neumuehlen 13 22763 Hamburg Germany P +4940361460 M crewing@leonhardt-blumberg.com W www.leonhardt-blumberg.com</p>



CONTAINER CAPACITY

Nominal	1.738 TEU	14 mts homogenous	1.327 TEU
Reefer Capacity	300 in total	whereof	84 in holds

DIMENSIONS

Length overall (LOA)	175,58 m
Length between perpendiculars (LBP)	166,10 m
Extreme breadth (Beam)	27,40 m
Moulded depth	14,30 m
Deadweight / draft	23.741 mts dwat on 10,90 m scantling draft

TONNAGES

Gross Tonnage	18.283
Net Tonnage	10.693
Suez Canal Tonnage – Gross (SCGT) / Net (SCNT)	19.019,63 / 16.443,15
Panama Canal Net Tonnage (PCNT)	15.283,00

CARGO GEAR

Number of cranes	0		
------------------	---	--	--

SPEED / CONSUMPTION

abt. 20,5 kn	abt. 58,0 mts	Design draft (9,50 m)
abt. 10,0 kn	abt. 16,0 mts	Design draft (9,50 m)
abt. 18,0 kn	abt. 58,0 mts	Scantling draft (10,90 m)
abt. 10,0 kn	abt. 17,0 mts	Scantling draft (10,90 m)