



POCKET PLAN

MV HANSA DREJOE

IMO No.: 103 15 99



GENERAL

Date of delivery / Builder (where built)	May 2025 / Jiangsu Dajin Heavy Industry (Dajin, P.R. China)
Flag / Port of Registry	Portugal / Madeira
Call sign	CQ2451
Yard type	Groot 5900XL – MPV
Type of hull	Double Hull

CLASSIFICATION

Classification society	DNV
Class notation	1A General dry cargo ship, Grab (2-20), Strengthened (IB), E0, NAUT (NAV), LCS, DG(B), DG(P) DBC, Ice 1A, BWM(T), Clean, ER(SCR), BIS, TMON (oil lubricated)

MAIN ENGINES

Type	MAN / 6L 27/38
MCR	2190 kW, 800 rpm



OWNERSHIP AND OPERATION

Registered owner – Full style	Schiffahrts-Gesellschaft "HANSA DREJOE" mbH & Co. KG Neumuehlen 13 22763 Hamburg Germany P +4940361460 M operations@leonhardt-blumberg.com W www.leonhardt-blumberg.com
Technical operator – Full style	Leonhardt & Blumberg Shipmanagement GmbH & Co. KG Neumuehlen 13 22763 Hamburg Germany P +4940361460 M operations@leonhardt-blumberg.com W www.leonhardt-blumberg.com Company IMO: 5979428
Manning Agent Officers / Crew	Leonhardt & Blumberg Reederei GmbH & Co. KG Neumuehlen 13 22763 Hamburg Germany P +4940361460 M crewing@leonhardt-blumberg.com W www.leonhardt-blumberg.com
Commercial manager	NewTide Chartering BV Maastoren - 32nd floor Wilhelminakade 1 3072 AP Rotterdam The Netherlands P + 31 10 870 1903 M chartering@newtide.nl W www.newtide.nl/

**CARGO HOLD**

Volume	9,108 m³/ 321,646 cuft	Grainbulkheads	2 (with 2 panels each), 11 different positions
Measurements	71,4 m x 12,85 m x 10,00 m	Steel coils	Max. 40 mts, coil length min. 1.5m

DIMENSIONS

Length overall (LOA)	99,78 m
Length between perpendiculars (LBP)	97,87 m
Extreme breadth (Beam)	15,45 m
Moulded depth to main deck	7,40 m
Deadweight / draft	5.900 dwat on 6,20 m scantling draft

TONNAGES

Gross Tonnage	4.487
Net Tonnage	2.238

CARGO GEAR

Number of cranes	0		
-------------------------	---	--	--

SPEED / CONSUMPTION

abt. 12,0 kn	abt. 9,4 mts	Scantling draft (6,20 m)
abt. 11,5 kn	abt. 7,9 mts	Scantling draft (6,20 m)
abt. 10,0 kn	abt. 4,6 mts	Scantling draft (6,20 m)
abt. 8,0 kn	abt. 2,3 mts	Scantling draft (6,20 m)